

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	344	(variable with compressor) and (plate or force) and controller	US-PGPUB	OR	OFF	2005/07/26 11:45

*Interference checking*

*Md. Mohsin Ali*

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9318	variable with compressor and (pressure or force)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:16
S2	2362	variable with compressor and (pressure or force) and controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:16
S3	1927	variable with compressor and (pressure or force) and controller and valve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:17
S4	902	variable with compressor and (pressure or force) and controller and (control adj valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:17
S5	591	variable with compressor same (pressure or force) and controller and (control adj valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:17
S6	373	variable with compressor same (pressure or force) and controller same (control adj valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:17

S90	83	valve with controller with (tube or restrictor) same refrigerant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:07
S91	4	valve with microprocessor with (tube or restrictor) same refrigerant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:08
S92	17	valve with microprocessor same (tube or restrictor) same refrigerant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:29
S93	28	valve with microprocessor same (tube or restrictor) and refrigerant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:34
S94	1409	<del>62/126</del>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:30
S95	95943	flow with sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 14:22
S96	2379	flow with sensor same compressor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 14:22
S97	7	flow with sensor same compressor same (variable adj capacity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 14:33
S98	37	flow same sensor same compressor same (variable adj capacity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 15:32
S99	12	(rate adj sensor) and (capacity adj compressor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 16:04

S10 0	2438	(flow adjrate adj sensor) and (capacity adj compressor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 16:04
S10 1	11	(flow adj rate adj sensor) and (capacity adj compressor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 16:10
S10 2	8	(movable adj plate) and (capacity adj compressor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 16:23
S10 3	4	(collision adj detect\$4) and (variable adj capacity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 16:27
S10 4	7	(collision with detect\$4) and (variable adj capacity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:10


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S61	0	(presure adj regulator) with (air adj conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 09:36
S62	59	(pressure adj regulator) with (air adj conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:33
S63	8571	valve with restrictor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:34
S64	28	valve with restrictor same (air adj conditioner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 19:03
S65	0	regulator with restrictor same (air adj conditioner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 19:03
S66	1	regulator same restrictor same (air adj conditioner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 19:04
S67	8	regulator same restrictor and (air adj conditioner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 19:12
S68	25	regulator same restrictor and (air adj conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 07:56
S69	887	regulator with controller and conditioning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 07:57

S70	144	regulator with controller same conditioning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 07:57
S71	59	regulator with controller same conditioning and vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 08:02
S72	1	(pressure adj regulator) with controller same conditioning and vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 08:04
S73	75	(pressure adj regulator) and controller same conditioning and vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 08:10
S74	31	(pressure adj regulator) with (1/2 or 50%)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 08:25
S75	48	(pressure adj regulator) with range and refrigerant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 08:50
S76	59	(pressure adj regulator) with (reduced or reduction) and refrigerant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 09:31
S77	1684	valve with pressure same controller and refrigerant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:18
S78	1067	valve with pressure same controller same refrigerant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:18
S79	578	valve with pressure with controller same refrigerant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:18

S80	427	valve with pressure with controller with refrigerant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:18
S81	85	valve with pressure with controller with refrigerant and vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:52
S82	31	S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:45
S83	8	electrical adj pressure adj regulator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:53
S84	2038	(pressure adj regulator) with controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:54
S85	11	(pressure adj regulator) with controller with refrigerant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:12
S86	3	"6428295"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:22
S87	0	(control adj valve) with controller and (cap adj tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:23
S88	15897	valve with controller and (tube or restrictor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:24
S89	2273	valve with controller with (tube or restrictor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:24

Day : Tuesday  
Date: 7/26/2005

Time: 11:49:33


**PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = OCHIAI

First Name = YOSHIHIRO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">29145208</a>	<a href="#">D460093</a>	150	07/19/2001	TORQUE LIMITER	OCHIAI, YOSHIHIRO
<a href="#">29145207</a>	<a href="#">D460770</a>	150	07/19/2001	TORQUE LIMITER	OCHIAI, YOSHIHIRO
<a href="#">29133784</a>	<a href="#">D453939</a>	150	12/07/2000	COMPRESSOR INCLUDING AN ELECTROMAGNETIC CONTROL VALVE	OCHIAI, YOSHIHIRO
<a href="#">29133781</a>	<a href="#">D467871</a>	150	12/07/2000	ELECTRICAL CONNECTOR HOUSING FOR AN ELECTROMAGNETIC CONTROL VALVE	OCHIAI, YOSHIHIRO
<a href="#">11130189</a>	Not Issued	020	05/17/2005	POWER TRANSMISSION DEVICE OF COMPRESSOR	OCHIAI, YOSHIHIRO
<a href="#">11108839</a>	Not Issued	020	04/19/2005	POWER TRANSMISSION DEVICE	OCHIAI, YOSHIHIRO
<a href="#">10989079</a>	Not Issued	020	11/15/2004	AIR CONDITIONER	OCHIAI, YOSHIHIRO
<a href="#">10793217</a>	Not Issued	020	03/05/2004	CONTROL VALVE DEVICE FOR VARIABLE CAPACITY TYPE SWASH PLATE COMPRESSOR	OCHIAI, YOSHIHIRO
<a href="#">10766934</a>	Not Issued	020	01/30/2004	CONTROL VALVE SYSTEM	OCHIAI, YOSHIHIRO
<a href="#">10647218</a>	Not Issued	030	08/26/2003	CLUTCHLESS VARIABLE DISPLACEMENT REFRIGERANT COMPRESSOR WITH MECHANISM FOR REDUCING DISPLACEMENT WORK AT INCREASED DRIVEN SPEED DURING NON-OPERATION OF REFRIGERATING SYSTEM INCLUDING THE	OCHIAI, YOSHIHIRO



				COMPRESSOR	
<u>10502341</u>	Not Issued	030	07/23/2004	AIR CONDITIONING APPARATUS USING VARIABLE DISPLACEMENT COMPRESSOR	OCHIAI, YOSHIHIRO
<u>10441237</u>	Not Issued	160	05/20/2003	VARIABLE DISPLACEMENT COMPRESSORS WHICH ESTIMATE AN INCLINATION ANGLE OF A PLATE OF THE COMPRESSOR	OCHIAI, YOSHIHIRO
<u>10309133</u>	Not Issued	094	12/04/2002	COMPRESSOR HAVING A POWER TRANSMISSION MECHANISM WHICH PREVENTS BALLS FROM MOVING IN AN AXIAL DIRECTION	OCHIAI, YOSHIHIRO
<u>09716418</u>	<u>6494799</u>	150	11/21/2000	POWER TRANSMISSION DEVICE	OCHIAI, YOSHIHIRO
<u>09703617</u>	<u>6425837</u>	150	11/02/2000	POWER TRANSMISSION	OCHIAI, YOSHIHIRO
<u>08221927</u>	<u>5513968</u>	150	04/01/1994	INSPECTION SYSTEM FOR A DEFECTIVE ROTATION PREVENTING DEVICE IN AN ORBITING MEMBER OF A FLUID DISPLACEMENT APPARATUS	OCHIAI, YOSHIHIRO
<u>08086036</u>	<u>5362211</u>	150	07/06/1993	SCROLL TYPE FLUID DISPLACEMENT APPARATUS HAVING A CAPACITY CONTROL MECHANISM	OCHIAI, YOSHIHIRO
<u>07883382</u>	<u>5269661</u>	150	05/15/1992	SCROLL TYPE FLUID DISPLACEMENT APPARATUS HAVING A CAPACITY CONTROL MECHANISM	OCHIAI, YOSHIHIRO
<u>07409797</u>	Not Issued	161	09/20/1989	SCROLL TYPE COMPRESSOR	OCHIAI, YOSHIHIRO
<u>07119634</u>	Not Issued	166	11/12/1987	SEALING MECHANISM FOR SEALING AN APERTURE ON A CLOSED VESSEL	OCHIAI, YOSHIHIRO

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
<input type="text" value="ochiai"/>	<input type="text" value="yoshihiro"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

THIS PAGE IS BLANK